

BK

BRIK

Stile, design, innovazione,
qualità del prodotto,
rispetto per l'ambiente
e per le persone.

*Style, design, innovation,
quality of the product,
respect for the environment
and for people.*



Made in Italy

Ceramiche Keope



In Ceramiche Keope riteniamo che la **responsabilità sociale** di un'impresa si manifesti innanzitutto operando con **trasparenza e correttezza** nei confronti di tutti gli interlocutori, siano essi clienti, fornitori, collaboratori.

Per questo motivo abbiamo aderito con convinzione al "codice etico" di Confindustria Ceramica che impegna a **comunicare con chiarezza l'origine dei nostri prodotti**.

Riteniamo che il marchio **"Made in Italy"** sia garanzia di valori forti quali **stile, design, innovazione e qualità del prodotto**, ma soprattutto rappresenti **rispetto per l'ambiente e per le persone**.

Siamo convinti che le nostre ceramiche "Made in Italy" siano sinonimo di qualità, design, ed etica del lavoro e pertanto, con orgoglio, comunichiamo e promuoviamo questo valore.

*At Ceramiche Keope, we believe that the **social responsibility** of a company should express itself by means of a **transparent and correct approach** to all interlocutors, irrespective of whether they are customers, suppliers or co-operators.*

*For this reason, we have chosen to comply with the "code of ethics" of Confindustria Ceramica (Italian association of ceramic industries), which means that we **must clearly indicate the origin of our products**.*

*We believe that the **"Made in Italy" mark** guarantees strong values, such as for instance **style, design, innovation and quality of the product**, and above all respect, **for the environment and for people**. We are convinced that "Made in Italy" means products of top quality, with a high standard of design and manufactured in accordance to work ethics. Therefore, we are proud to inform you of the above and to promote these values.*



Richiami post industriali tipici delle grandi metropoli si riflettono nella nuova linea Brik di Ceramiche Keope, una moderna e affascinante collezione di rivestimenti e pavimenti in gres porcellanato, caratterizzata dal classico formato "brick" cm. 7,5x30. Capace di soddisfare diverse esigenze stilistiche, Brik è perfetta sia per coloro che desiderano un allure più tradizionale, sia per chi ama, invece, una soluzione più dinamica .

BRIK

References to the post-industrial appearance of metropolitan landscapes can be found in the new Brik line by Ceramiche Keope, a modern and fascinating collection of porcelain stoneware wall and floor tiles, characterised by the typical 7.5x30 cm "brick" size. Capable of fulfilling a variety of different requirements in terms of style, Brik is ideal for those searching for the traditional appearance and it is also a must for those looking for a more dynamic appeal.

Gres porcellanato - Porcelain stoneware

Disponibile in 6 colori dall'effetto fortemente stonalizzato, quali Cotto Dark, Cotto Light, Brik Moov Moka, Brik Back Anthracite, Brik Back Grey e Brik Moov Ivory, tutti nella finitura Matt, questa nuova proposta firmata Ceramiche Keope, garantisce a privati e progettisti la possibilità di realizzare ambienti interni residenziali o commerciali caratterizzati sia da un gusto vintage (per i colori tipici dei materiali di recupero) sia da un gusto contemporaneo (per i colori chiari).

BRIK

Gres porcellanato - Porcelain stoneware
7,5x30

Available in 6 colours with very bold differences in tone, namely Cotto Dark, Cotto Light, Brik Moov Moka, Brik Back Anthracite, Brik Back Grey and Brik Moov Ivory, all with a matt finish, this new project designed by Ceramiche Keope gives not only designers the possibility to create residential and commercial environments with both a vintage (due to the colours of recycled materials) and contemporary flair (the light colours).

Cotto Dark

20

Cotto Light

24

Moov Ivory

10

Moov Moka

06

Back Grey

14

Back Anthracite

18

BRIK MOOV MOKA



BRIK Moov Moka 7,5x30 (3"x12") nat.

in abbinamento a / combined to: NOTE Honey 20x120 (8"x48") nat. rt.

BRIK MOOV MOKA

BRIK Moov Moka 7,5x30 (3"x12") nat.

in abbinamento a / combined to: SOUL Pearl 15x90 (6"x36") nat. rt.



BRIK MOOV IVORY



BRIK Moov Ivory 7,5x30 (3"x12") nat.

in abbinamento a / combined to:
MOOV Anthracite 60x60 (24"x24") nat. rt.
30x60 (12"x24") nat. rt.



BRIK
MOOV
IVORY

BRIK Moov Ivory 7,5x30 (3"x12") nat.

in abbinamento a / combined to:
SOURCE Dark 45x90 (18"x36") strutt. rt. K2 sp. 2cm

BRIK BACK GREY



BRIK Back Grey 7,5x30 (3"x12") nat.

in abbinamento a / combined to:
SOURCE Silver 60x60 (24"x24") strutt. rt. K2 sp. 2cm

BRIK BACK GREY



BRIK Back Grey 7,5x30 (3"x12") nat.


in abbinamento a / combined to:
BACK Silver 40x60 (16"x24") nat. rt. - 30x60 (12"x24") nat. rt.

BRIK BACK ANTHRACITE



BRIK Back Anthracite 7,5x30 (3"x12") nat.


in abbinamento a / combined to:
CODE Taupe 60x60 (24"x24") nat . rt.



BRIK Back Anthracite 7,5x30 (3"x12") nat.

in abbinamento a / combined to:
CODE Taupe 30x60 (12"x24") grip. rt.

BRIK COTTO DARK



BRIK Cotto Dark 7,5x30 (3"x12") nat.

in abbinamento a / combined to:
ELEMENTS LUX Calacatta Esagona 25x21,6 (10"x8^{5/8}") nat.

BRIK COTTO DARK



BRIK Cotto Dark 7,5x30 (3"x12") nat.

in abbinamento a / combined to:
ELEMENTS DESIGN Taupe 120x120 (48"x48") nat. rt.

BRIK COTTO LIGHT



BRIK Cotto Light 7,5x30 (3"x12") nat.
in abbinamento a / combined to:
MOOV Grey 30x120 (12"x48") nat. rt.



BRIK Cotto Dark



Note
ivory sand

Elements Design
ivory taupe

Elements Lux
calacatta crema beige

BRIK Back Anthracite




Back
grey silver anthracite

Soul
pearl grey

Code
grey taupe

BRIK Cotto Light



Code
ivory grey taupe

Prime
white beige

Moov
ivory grey moka

BRIK Moov Moka



Note
ivory honey brown

Soul
pearl grey

Source
beige

Percorsi Smart
pietra di lavis

BRIK Back Grey



Back
silver anthracite

Elements Natural
ivory dark

Source
silver dark

Edge
brown dark

BRIK Moov Ivory



Link
desert sand dark shadow


Soul
blend walnut

Source
dark

Moov
grey moka anthracite

BRIK

formati . sizes . formats . formate . formatos



cm. 7,5x30 . 3"x12"

colori . couleurs . farbe . colores

Gres porcellanato – Porcelain stoneware

Naturale
Natural
Naturel
Naturbelassen
Natural

Brik Cotto Dark




Brik Cotto Light



BRIK

formati . sizes . formats . formate . formatos



cm. 7,5x30 . 3"x12"

colori . couleurs . farbe . colores

Gres porcellanato – Porcelain stoneware

Naturale
Natural
Naturel
Naturbelassen
Natural

Brik Moov Ivory



Brik Moov Moka



BRIK

Gres porcellanato - Porcelain stoneware

Naturale
Natural
Naturel
Naturbelassen
Natural

formati . sizes . formats . formate . formatos




cm. 7,5x30 . 3"x12"

colori . couleurs . farbe . colores

Brik Back Grey



Brik Back Anthracite



CARATTERISTICHE TECNICHE

PIASTRELLE PRESSATE A SECCO - CONFORME ALLA NORMA EN 14411 E ISO 13006 APPENDICE G GRUPPO BIa CON E ≤ 0,5 % UGL

TECHNICAL FEATURES - DRY PRESSED TILES - COMPLIANT WITH STANDARDS EN 14411 AND ISO 13006 ANNEX G GROUP BIa WITH E ≤ 0,5 % UGL

	CARATTERISTICA TECNICA TECHNICAL FEATURES	NORMA SPECIFICATION	VALORE PRESCRITTO VALUES REQUIRED N ≥ 15 cm	*VALORE KEOPE *KEOPE VALUES
CARATTERISTICHE DI REGOLARITA' REGULARITY CHARACTERISTICS	LUNGHEZZA E LARGHEZZA LENGHT AND WIDTH	ISO 10545-2	± 0,6 % ± 2 mm	CONFORME IN ACCORDANCE
	SPESSORE THICKNESS	ISO 10545-2	± 5,0 % ± 0,5 mm	CONFORME IN ACCORDANCE
	ORTOGONALITÀ RECTANGULARITY	ISO 10545-2	± 0,5 % ± 2 mm	CONFORME IN ACCORDANCE
	RETTILINEARITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES	ISO 10545-2	± 0,5 % ± 1,5 mm	CONFORME IN ACCORDANCE
	PLANARITÀ SURFACE FLATNESS	ISO 10545-2	± 0,5 % ± 2 mm	± 0,3 % MAX 1,5 mm
CARATTERISTICHE STRUTTURALI STRUCTURAL CHARACTERISTICS	ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3 ASTM C373	≤ 0,5 %	≤ 0,1 % CONFORME IN ACCORDANCE
	FORZA DI ROTTURA BREAKING STRENGHT MODULO DI ROTTURA MODULUS OF RUPTURE	ISO 10545-4	≥ 1300 N ≥ 35 N/mm ²	CONFORME IN ACCORDANCE ≥ 40 N/mm ²
CARATTERISTICHE SUPERFICIALI SURFACE CHARACTERISTICS	RESISTENZA ALLA ABRASIONE PROFONDA RESISTANCE TO DEEP ABRASION	ISO 10545-6	≤ 175 mm ²	≤ 145 mm ²
CARATTERISTICHE TERMO IGROMETRICHE THERMAL AND HYGROMETRIC CHARACTERISTICS	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545-8	METODO DI PROVA DISPONIBILE VALORE DICHIARATO TEST METHOD AVAILABLE DECLARED VALUE	< 7x10 ⁻⁶ °C ⁻¹
	RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE	ISO 10545-9	METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE	GARANTITA GUARANTEED
	RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12	RICHIESTA REQUIRED	CONFORME IN ACCORDANCE
CARATTERISTICHE CHIMICHE CHEMICAL CHARACTERISTICS	RESISTENZA AI PRODOTTI CHIMICI RESISTANCE TO CHEMICALS	ISO 10545-13	METODO DI PROVA DISPONIBILE VALORE DICHIARATO TEST METHOD AVAILABLE DECLARED VALUE	GARANTITA GUARANTEED
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINING	ISO 10545-14	METODO DI PROVA DISPONIBILE VALORE DICHIARATO TEST METHOD AVAILABLE DECLARED VALUE	GARANTITA GUARANTEED
CARATTERISTICHE DI SICUREZZA SAFETY CHARACTERISTICS	COEFFICIENTE DI ATTRITO DINAMICO DYNAMIC SLIDER	BCRA	METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE	
	COEFFICIENTE DI ATTRITO STATICO STATIC SLIDER	ASTM C1028		
	CLASSIFICAZIONE ANTISDRUCCIOLO	DIN 51130		
	INCLINED PLATFORM	DIN 51097		

*VALORI MEDI RIFERITI A PROVE FATTE NEGLI ULTIMI 24 MESI - AVERAGE VALUES REFER TO TEST DONE IN THE PREVIOUS 24 MONTHS

SPESSORE - THICKNESS:
7,5x30 : 8,5 mm

Consigli di posa
Laying suggestions

Al fine di semplificare le operazioni di posa e ottimizzare la resa estetica del prodotto si raccomanda di posare con fuga minima di 3 mm.

To simplify laying operations and ensure the product looks its best, it is advisable to lay with joints of 3 mm.

Subito dopo la stagionatura delle fughe si raccomanda di effettuare la pulizia del pavimento come descritto su:

www.keope.com/cleaning.html
As soon as the joints have fully set, it is advisable to clean the floor as described on the website
www.keope.com/cleaning.htm

FORMATI

sizes
formats
formate
formatos

7,5x30
3"x12"

Brik Cotto Dark	■
Brik Cotto Light	■
Brik Moov Mooka	■
Brik Moov Ivory	■
Brik Back Anthracite	■
Brik Back Grey	■

■ naturale - natural - naturel - naturbelassen - natural

MISURE, PESI ED IMBALLI

SIZE, WEIGHT AND PACKAGING . FORMATS, POIDS ET EMBALLAGES .
MASSE, GEWICHTE UND VERPACKUNGEN . MEDIDAS, PESOS Y EMBALAJES

FORMATO size format formato	spessore	PZ/SCATOLA pieces/box pièces/böite stück/karton pzas/caja	MQ/SCATOLA mq/box mq/böite mq/karton mq/caja	KG/SCATOLA kg/box kg/böite kg/karton kg/caja	MQ/PALLET mq/pallet mq/pallet mq/pallet mq/pallet	KG/PALLET kg/pallet kg/pallet kg/pallet kg/pallet	SCATOLA/PALLET box/pallet böite/pallet karton/pallet caja/pallet
7,5x30	8,5 mm	48	1,08	≈ 19,02	51,84	≈ 926	48



UNI ISO 14064

“GREENTHINKING” è il Progetto Keope nato per rispettare gli obiettivi di sviluppo sostenibile. Keope è una delle aziende oggi più attente alle qualità ecologiche dell’industria ceramica.

Al passo con la più avanzata evoluzione tecnologica, Keope si è impegnata a seguire un severo programma di tutela della eco-sostenibilità iniziato anni fa con l’adesione al Marchio Ecolabel, per arrivare oggi all’importante certificazione ISO 14064. Il marchio “Greenthinking” è il simbolo di questo impegno di Keope nei confronti della natura.

“GREENTHINKING” is the project that Keope has realised to fulfil the requirements of sustainable development. Keope is actually one of the companies with the higher attention level to the ecological characteristics in the tile industry.

In line with the most advanced technological evolution, Keope has committed itself to a strict programme of eco-sustainability, which began years ago by obtaining the Ecolabel and has continued with the attainment of the important ISO 14064 certification. The “Greenthinking” mark is the symbol of Keope’s commitment to protection of nature.

www.greenthinking.it



progetto grafico eureka-media.com
coordinamento ufficio marketing ceramiche keope
fotoelaborazioni apparentreality.net
stampa grafiche pioppi

Progetto, direzione e coordinamento a cura dell’Ufficio Marketing
Editore: Ceramiche Atlas Concorde divisione Keope,
Strada Statale 467, n°21 - 42013 Casalgrande (RE) Italia
Pubblicazione: Settembre 2016
Finito di stampare a Reggio Emilia nel mese di Settembre 2016 da Grafiche Pioppi,
Via Veneri di Chiozza, 10/1 - 42019 Scandiano (RE) Italia
©Copyright 2016 by Ceramiche Atlas Concorde divisione Keope

Project, editing and supervision by Marketing Department.
Editor: Ceramiche Atlas Concorde divisione Keope,
Strada Statale 467, n°21 - 42013 Casalgrande (RE) Italy
Publication: September 2016
Printed in Reggio Emilia in the month of September 2016 by Grafiche Pioppi,
Via Veneri di Chiozza, 10/1 - 42019 Scandiano (RE) Italy
©Copyright 2016 by Ceramiche Atlas Concorde divisione Keope



COMPANY WITH QUALITY MANAGEMENT
SYSTEM CERTIFIED BY DNV
= ISO 9001:2008 =



Ceramiche Keope
S. S. 467 n 21 - 42013 Casalgrande (RE)
EN 14411



Office strada Statale 467,21
42013 Casalgrande (RE) Italy
Phone +39 0522 997511
Fax +39 0522 997544 997545
Factory Via Dell'Industria 1,
Villaggio La Macina
42013 Casalgrande (RE) Italy
info@keope.com
www.keope.com